

| | Hits | Search Text | DBs |
|----|------|---|-----------------|
| 1 | 0 | preferred adj applications | USPAT; US-PGPUB |
| 2 | 1897 | (user near2 profile) with (applications or software) | USPAT; US-PGPUB |
| 3 | 2404 | (user near2 prefer\$5) with (applications or software) | USPAT; US-PGPUB |
| 4 | 99 | (user near2 prefer\$5) with (applications or software) with (load\$3 or start\$3 or boot\$3) | USPAT; US-PGPUB |
| 5 | 105 | (user near2 profile) with (applications or software) with (load\$3 or start\$3 or boot\$3) | USPAT; US-PGPUB |
| 6 | 186 | (user near2 (prefer\$5 or profile)) with (applications or software) with (load\$3 or start\$3 or boot\$3) | USPAT; US-PGPUB |
| 7 | 0 | (user near2 profile) with (applications or software) with (load\$3 or start\$3 or boot\$3) with base3 | USPAT; US-PGPUB |
| 8 | 65 | (user near2 (prefer\$5 or profile)) with (applications or software) with (start\$3) | USPAT; US-PGPUB |
| 9 | 70 | (user near2 profile) with (applications or software) with (load\$3) | USPAT; US-PGPUB |
| 10 | 114 | (user near2 (prefer\$5 or profile)) with (applications or software) with (load\$3) | USPAT; US-PGPUB |
| 11 | 61 | (user near2 (prefer\$5)) with (applications or software) with (load\$3) | USPAT; US-PGPUB |
| 12 | 809 | user with (application near set) | USPAT; US-PGPUB |
| 13 | 534 | user with ((application or software) adj set) | USPAT; US-PGPUB |
| 14 | 33 | user with ((application or software) near set) with (load\$3) | USPAT; US-PGPUB |
| 15 | 117 | user with ((application or software) with (permission or authori\$6)) with (load\$3) | USPAT; US-PGPUB |
| 16 | 25 | user with ((application or software) with allowed) with (load\$3) | USPAT; US-PGPUB |
| 17 | 304 | user with ((application or software) with (enabl\$5)) with (load\$3) | USPAT; US-PGPUB |
| 18 | 387 | user with ((application or software) with (permission or authori\$6)) with (enabl\$3 or disabl\$3) | USPAT; US-PGPUB |
| 19 | 8 | user with ((application or software) with (permission or authori\$6)) with (enabl\$3 or disabl\$3) with profile | USPAT; US-PGPUB |

| | Hits | Search Text | DBs |
|----|------|---|-----------------|
| 20 | 1 | user with ((application or software) with (permission or authori\$6)) with (load\$3) with profile | USPAT; US-PGPUB |
| 21 | 20 | (load with (user adj profile) with (software or applications)) | USPAT; US-PGPUB |
| 22 | 35 | ((permission or authori\$5) with (user adj profile) with (software or applications)) | USPAT; US-PGPUB |
| 23 | 979 | ((permission or authori\$5 or allow\$3) with (user) with (load\$3 or start\$3) with (software or applications)) | USPAT; US-PGPUB |
| 24 | 98 | ((((permission or authori\$5 or allow\$3) with (user) with (load\$3 or start\$3) with (software or applications))) same (log\$3) | USPAT; US-PGPUB |
| 25 | 16 | ((((permission or authori\$5 or allow\$3) with (user) with (load\$3 or start\$3) with (software or applications))) same ((log\$1in) or (log\$5 adj in)) | USPAT; US-PGPUB |
| 26 | 10 | (user near2 (prefer\$5 or profile)) with (applications or software) with (load\$3) with (log\$3 or sign\$3) | USPAT; US-PGPUB |
| 27 | 18 | ((user near2 (prefer\$5 or profile)) with (applications or software) with (load\$3)) same (log\$3 or sign\$3 or boot\$3) | USPAT; US-PGPUB |
| 28 | 51 | ((user near2 (prefer\$5 or profile)) with (applications or software)) same (load\$3) same (log\$3 or sign\$3 or boot\$3) | USPAT; US-PGPUB |
| 29 | 63 | (user near2 (prefer\$5 or profile)) with ((applications or software) near2 (load\$3)) | USPAT; US-PGPUB |
| 30 | 3842 | (determin\$5 with (applications or software or programs) with running) | USPAT; US-PGPUB |
| 31 | 420 | (determin\$5 with (applications or software or programs) with running) with (sign\$3 or log\$3) | USPAT; US-PGPUB |
| 32 | 243 | (determin\$5 with ((applications or software or programs) near2 running)) with (sign\$3 or log\$3) | USPAT; US-PGPUB |
| 33 | 3 | (determin\$5 with ((applications or software or programs) near2 running)) with (user near (profile or prefer\$5)) | USPAT; US-PGPUB |
| 34 | 48 | (determin\$5 with ((applications or software or programs) near2 running)) with (sign\$3 or log\$3) with user | USPAT; US-PGPUB |

| | Hits | Search Text | DBs |
|----|-------|---|-----------------|
| 35 | 14 | (determin\$5 with ((applications or software or programs) near2 running)) with (user near2 (sign\$3 or log\$3)) | USPAT; US-PGPUB |
| 36 | 135 | ((applications or software or programs) near2 running)) with (user near2 (sign\$3 or log\$3)) | USPAT; US-PGPUB |
| 37 | 28 | ((applications or software or programs) near2 running)) with (user near2 (sign\$3 or log\$3)) and ((user near2 (profile or prefer\$5)) | USPAT; US-PGPUB |
| 38 | 16 | ((applications or software or programs) near2 load\$3)) with (user near2 (sign\$3 or log\$3)) and ((user near2 (profile or prefer\$5)) | USPAT; US-PGPUB |
| 39 | 59 | ((applications or software or programs) near2 (run\$3 or load\$3)) with (user near2 (identi\$8 or sign\$3 or log\$3)) and ((user near2 (profile or prefer\$5)) | USPAT; US-PGPUB |
| 40 | 259 | ((applications or software or programs) near2 (run\$3 or load\$3)) with (user with (select\$3 or cho\$lse\$1)) and ((user near2 (profile or prefer\$5)) | USPAT; US-PGPUB |
| 41 | 162 | ((applications or software or programs) near2 (select\$3)) with (user near2 (identi\$8 or sign\$3 or log\$3)) and ((user near2 (profile or prefer\$5)) | USPAT; US-PGPUB |
| 42 | 21 | ((applications or software or programs) near2 (run\$3 or load\$3)) with (user with (select\$3 or choos\$3 or chosen)) same ((user near2 (profile or prefer\$5)) | USPAT; US-PGPUB |
| 43 | 54 | ((applications or software or programs) near2 (select\$3)) with (user near2 (identi\$8 or sign\$3 or log\$3)) same ((user near2 (profile or prefer\$5)) | USPAT; US-PGPUB |
| 44 | 25 | "5261104" | USPAT; US-PGPUB |
| 45 | 10337 | ((load\$3 or boot\$3 or start\$3 or launch\$3) near2 (applications or software or programs)) with (user) | USPAT; US-PGPUB |
| 46 | 495 | ((load\$3 or boot\$3 or start\$3 or launch\$3) near2 (applications or software or programs)) with (user) with determin\$5 | USPAT; US-PGPUB |

| | Hits | Search Text | DBs |
|----|------|--|-----------------|
| 47 | 9629 | ((load\$3 or boot\$3 or start\$3 or run\$4 or launch\$3) near2 (applications or software or programs)) with determin\$5) | USPAT; US-PGPUB |
| 48 | 53 | ((load\$3 or boot\$3 or start\$3 or run\$4 or launch\$3) near2 (applications or software or programs)) with determin\$5) same (user near (profile or prefer\$5)) | USPAT; US-PGPUB |
| 49 | 35 | ((load\$3 or boot\$3 or start\$3 or run\$4 or launch\$3) near2 (applications or software or programs)) with automatic\$5) same (user near (profile or prefer\$5)) | USPAT; US-PGPUB |
| 50 | 156 | ((enabl\$3 or disabl\$3) near2 (applications or software or programs))) same (user near (profile or prefer\$5)) | USPAT; US-PGPUB |
| 51 | 5080 | ((load\$3 or boot\$3 or start\$3 or run\$4 or launch\$3) near2 (applications or software or programs)) with automatic\$5) | USPAT; US-PGPUB |
| 52 | 2147 | ((load\$3 or boot\$3 or start\$3 or run\$4 or launch\$3) near2 (applications or software or programs)) near2 automatic\$5) | USPAT; US-PGPUB |
| 53 | 1515 | ((load\$3 or boot\$3 or start\$3 or run\$4 or launch\$3) near automatic\$5) near2 (applications or software or programs) | USPAT; US-PGPUB |
| 54 | 373 | ((load\$3 or boot\$3 or start\$3 or run\$4 or launch\$3) near automatic\$5) near2 (applications or software or programs) with user | USPAT; US-PGPUB |
| 55 | 128 | ((load\$3 or boot\$3 or start\$3 or run\$4 or launch\$3) near automatic\$5) near2 (applications or software or programs) with select\$3 | USPAT; US-PGPUB |
| 56 | 59 | ((load\$3 or boot\$3 or start\$3 or run\$4 or launch\$3) near automatic\$5) near2 (applications or software or programs) with (user and (select\$3 or prefer\$5 or profile)) | USPAT; US-PGPUB |
| 57 | 13 | ((retriev\$3) near automatic\$5) near2 (applications or software or programs) with (user and (select\$3 or prefer\$5 or profile)) | USPAT; US-PGPUB |
| 58 | 42 | ((execut\$3) near automatic\$5) near2 (applications or software or programs) with (user and (select\$3 or prefer\$5 or profile)) | USPAT; US-PGPUB |

| | Hits | Search Text | DBs |
|----|------|--|-----------------|
| 59 | 50 | ((load\$3 or start\$3 or run\$4 or launch\$3) near automatic\$5) near2 (applications or software or programs) with boot\$3 | USPAT; US-PGPUB |
| 60 | 11 | (start\$1up adj applications) with boot\$3 | USPAT; US-PGPUB |
| 61 | 310 | start\$1up adj applications | USPAT; US-PGPUB |
| 62 | 6 | (start\$1up adj applications) with windows | USPAT; US-PGPUB |
| 63 | 38 | (start\$1up adj applications) with (operating adj system) | USPAT; US-PGPUB |
| 64 | 189 | (start\$1up adj applications) and (windows or win\$2) | USPAT; US-PGPUB |
| 65 | 15 | (start\$1up adj applications) same (windows or win\$2) | USPAT; US-PGPUB |
| 66 | 3 | "6353446" | USPAT; US-PGPUB |
| 67 | 2104 | (list\$3 or determin\$5) with ((loaded or active) near2 (program or application or software)) | USPAT; US-PGPUB |
| 68 | 608 | (list\$3) with ((loaded or active) near2 (program or application or software)) | USPAT; US-PGPUB |
| 69 | 305 | (list\$3) with ((loaded) near2 (program or application or software)) | USPAT; US-PGPUB |
| 70 | 136 | (list\$3) near4((loaded) near2 (program or application or software)) | USPAT; US-PGPUB |
| 71 | 429 | (determin\$5) near4 ((loaded) near2 (program or application or software)) | USPAT; US-PGPUB |
| 72 | 136 | (list\$3) near4 ((loaded) near2 (program or application or software)) | USPAT; US-PGPUB |
| 73 | 306 | (list\$3) near4 ((running) near2 (program or application or software)) | USPAT; US-PGPUB |
| 74 | 274 | (list\$3) near4 ((running) near2 (program or application)) | USPAT; US-PGPUB |
| 75 | 863 | (determin\$5) near4 ((running) near2 (program or application)) | USPAT; US-PGPUB |
| 76 | 151 | (list\$3) near2 ((running) near2 (program or application)) | USPAT; US-PGPUB |
| 77 | 539 | automatic\$5 near3 ((launch\$3 or start\$3 or boot\$3 or run\$4) adj (program or application or software)) | USPAT; US-PGPUB |

| | Hits | Search Text | DBs |
|----|------|--|-----------------|
| 78 | 22 | (automatic\$5 near3 ((launch\$3 or start\$3 or boot\$3 or run\$4) adj (program or application or software))) same (user near (profile or prefer\$5 or log\$5)) | USPAT; US-PGPUB |
| 79 | 6 | (automatic\$5 near3 ((launch\$3 or start\$3 or boot\$3 or run\$4) adj (program or application or software))) same customiz\$5 | USPAT; US-PGPUB |
| 80 | 297 | ((launch\$3 or start\$3 or boot\$3 or run\$4) adj (program or application or software)) same (user near (profile or prefer\$5 or log\$5)) | USPAT; US-PGPUB |
| 81 | 100 | ((launch\$3 or start\$3 or boot\$3 or run\$4) adj (program or application or software)) with (user near (profile or prefer\$5 or log\$5)) | USPAT; US-PGPUB |
| 82 | 0 | (automatic\$5 near3 ((launch\$3 or start\$3 or boot\$3 or run\$4) adj (program or application or software))) same (user near (profile or prefer\$5 or log\$5)) | EPO; JPO |
| 83 | 18 | (automatic\$5 near3 ((launch\$3 or start\$3 or boot\$3 or run\$4) adj (program or application or software))) same (chang\$3 with user) | USPAT; US-PGPUB |
| 84 | 21 | (disabl\$3 or un\$llload\$3) with (application or software or executable) with (unneeded or unnecessary) | USPAT; US-PGPUB |
| 85 | 72 | (disabl\$3 or un\$llload\$3 or free) with (application or software or executable) with (unneeded or unnecessary) | USPAT; US-PGPUB |
| 86 | 51 | (free) with (application or software or executable) with (unneeded or unnecessary) | USPAT; US-PGPUB |
| 87 | 35 | (disabl\$3 or un\$llload\$3 or free) with (program) with (unneeded or unnecessary) | USPAT; US-PGPUB |
| 88 | 294 | (disabl\$3 or un\$llload\$3 or free) with (application or software or executable or program) with (profile) | USPAT; US-PGPUB |
| 89 | 392 | (disabl\$3 or un\$llload\$3 or free) with (application or software or executable or program) with (prefer\$7) | USPAT; US-PGPUB |

| | Hits | Search Text | DBs |
|-----|------|---|-----------------|
| 90 | 52 | (disabl\$3 or un\$load\$3 or free) with (application or software or executable or program) with (user near2 (prefer\$7 or profile)) | USPAT; US-PGPUB |
| 91 | 149 | ((disabl\$3 or un\$load\$3 or free) with (application or software or executable or program)) same (user near2 (prefer\$7 or profile)) | USPAT; US-PGPUB |
| 92 | 54 | ((disabl\$3 or un\$load\$3) with (application or software or executable or program)) same (user near2 (prefer\$7 or profile)) | USPAT; US-PGPUB |
| 93 | 0 | ((disabl\$3 or un\$load\$3) with (suite)) same (user near2 (prefer\$7 or profile)) | USPAT; US-PGPUB |
| 94 | 27 | ((suite) with (application or software or executable or program)) with (user near2 (prefer\$7 or profile)) | USPAT; US-PGPUB |
| 95 | 71 | ((suite) with (application or software or executable or program)) same (user near2 (prefer\$7 or profile)) | USPAT; US-PGPUB |
| 96 | 44 | ((suite) with (application or software or executable or program)) same (user near2 (prefer\$7 or profile)) not (((suite) with (application or software or executable or program)) with (user near2 (prefer\$7 or profile))) | USPAT; US-PGPUB |
| 97 | 51 | (disabl\$3 or un\$load\$3 or free) with (application or software or executable or program) with (user near2 (desir\$4 or undesir\$5)) | USPAT; US-PGPUB |
| 98 | 14 | ("5717955" "5909544" "6105066" "6167450" "6295541" "6324578" "6327594" "6330676" "6345288" "6345308" "6367077" "6373505" "6438382" "6457030").PN. | USPAT |
| 99 | 280 | (disabl\$3 or un\$load\$3 or free) with (application or software or executable or program) with (user near2 (select\$5)) | USPAT; US-PGPUB |
| 100 | 164 | (disabl\$3 or un\$load\$3) with (application or software or executable or program) with (user near2 (select\$5)) | USPAT; US-PGPUB |
| 101 | 189 | list with ((critical or necessary or needed or required) adj (application or program or module)) | USPAT; US-PGPUB |

| | Hits | Search Text | DBs |
|-----|------|---|-----------------|
| 102 | 577 | identif\$7 with ((critical or necessary or needed or required) adj (application or program or module)) | USPAT; US-PGPUB |
| 103 | 34 | (list with ((critical or necessary or needed or required) adj (application or program or module))) and (identif\$7 with ((critical or necessary or needed or required) adj (application or program or module))) | USPAT; US-PGPUB |
| 104 | 23 | (identif\$7 with ((critical or necessary or needed or required) adj (application or program or module))) with (launch\$3 or load\$3 or start\$3 or exeuct\$7) | USPAT; US-PGPUB |
| 105 | 17 | list with ((critical or necessary or needed or required) adj (application or program or module)) | EPO; JPO |
| 106 | 25 | identif\$7 with ((critical or necessary or needed or required) adj (application or program or module)) | EPO; JPO |
| 107 | 2 | (identif\$7 with ((critical or necessary or needed or required) adj (application or program or module))) with (launch\$3 or load\$3 or start\$3 or exeuct\$7) | EPO; JPO |